

 **GANTERUD**  
Lifting Solutions





# Proven and robust technology in a new application

## Lift Safer

Safely level your units with our lifting solutions. We ensure stability by finding the equilibrium. Control everything with a remote and minimize the risk of damage to both personnel and cargo!

## Lift Faster

Revolutionize your assembly process with Ganterud's lifting units and save up to 25% of your assembly time!

## Lift Greener

Reduce CO2 emissions by up to 50% with our environmentally conscious solution. Make a significant impact on your carbon footprint by choosing our innovative technology.



### GANTERUD L20-3 Pro

Lifting, levelling and turning

Auto levelling  
Lifting capacity: Max. 20 tons  
Load imbalance capacity: Max. 3 tons  
Unloaded weight: 395 kg  
Standard chain length: 6 meters

#### Features:

- Lifting, levelling, auto levelling and turning of both light and heavy objects.
- The length of the chain can be adjusted according to needs.
- The L-Series is a lifting yoke using new, tried and tested technology.
- Level loads effectively and safely with high precision.
- The yoke can handle both light and heavy objects, ranging from 0 kg up to 20 tons.
- All leveling units can be tandem-operated with a remote control.

#### Pro features:

- Release of chain wheel with remote control.
- Flash light warning when chain wheel is released.
- Auto levelling, finds the center of gravity automatically when chain wheel is released.
- Snatch block function with released chain wheel.

Easy to use. The remote control has a range of up to 100 meters.

Other than cleaning, the only thing you need to think about is charging the battery. The battery status is indicated on the yoke and, with normal use, it is sufficient to charge the battery once a week.



### GANTERUD L3

Lifting, levelling and turning

Lifting capacity: Max. 3 tons  
Load imbalance capacity: Max. 500 kg  
Unloaded weight: 126 kg  
Standard chain length: 3 meters



### GANTERUD L5

Lifting, levelling and turning

Lifting capacity: Max. 5 tons  
Load imbalance capacity: Max. 750 kg  
Unloaded weight: 139 kg  
Standard chain length: 3 meters



### GANTERUD L5 Pro

Lifting, levelling and turning

Auto levelling  
Lifting capacity: Max. 5 tons  
Load imbalance capacity: Max. 750 kg  
Unloaded weight: 139 kg  
Standard chain length: 3 meters



### GANTERUD L12 Pro

Lifting, levelling and turning

Auto levelling  
Lifting capacity: Max. 12 tons  
Load imbalance capacity: Max. 2500 kg  
Unloaded weight: 295 kg  
Standard chain length: 4 meters



# GANTERUD L10 HEAVY DUTY



## New!

### Our most powerful levelling yoke yet.

Extreme levelling force in a compact format! Lifts heavier loads from horizontal to vertical position.  
Perfect for heavy-duty industrial use!

### GANTERUD L10 Heavy Duty

Lifting, levelling and turning

Lifting capacity: Max. 10 tons  
Load imbalance capacity: Max. 4 tons  
Unloaded weight: 180 kg  
Standard chain length: 3 meters

### Features:

Lifting, levelling, auto levelling and turning of both light and heavy objects.  
The L-Series is a lifting yoke using new, tried and tested technology.  
Level loads effectively and safely with high precision.

Dealer:

**STEXON**<sup>®</sup>  
INNOVATION • TIMBER CONSTRUCTION

STEXON GmbH | [www.stexon.eu](http://www.stexon.eu) | Tel. +49 (0)176 83 33 27 14 | [office@stexon.eu](mailto:office@stexon.eu)



Scan for video clips!